

# Access Eurostat data with eurostat::cheat sheet

## Search and download

Data in the Eurostat database is stored in tables. Each table has an identifier, a short table\_code, and a description (e.g. tps00199 - Total fertility rate).

Key eurostat functions allow to find the table\_code, download the eurostat table and polish labels in the table.

### Find the table code

The **search\_eurostat(pattern,...)** function scans the directory of Eurostat tables and returns codes and descriptions of tables that match pattern.

```
library("eurostat")
query <- search_eurostat(pattern = "fertility rate",
                         type = "table", fixed = FALSE)
query[,1:2]
## title                                code
## <chr>                                 <chr>
## Total fertility rate by NUTS 2 region tgs00100
## Total fertility rate                  tps00199
## Total fertility rate by NUTS 2 region tgs00100
```

### Download the table

The **get\_eurostat(id, time\_format = "date", filters = "none", type = "code", cache = TRUE,...)** function downloads the requested table from the Eurostat bulk download facility or from The Eurostat Web Services JSON API (if filters are defined). Downloaded data is cached (if cache=TRUE). Additional arguments define how to read the time column (time\_format) and if table dimensions shall be kept as codes or converted to labels (type).

```
ct <- c("AT", "BE", "BG", "CH", "CY", "CZ", "DE", "DK", "EE", "EL", "ES",
       "FI", "FR", "HR", "HU", "IE", "IS", "IT", "LI", "LT", "LU", "LV",
       "MT", "NL", "NO", "PL", "PT", "RO", "SE", "SI", "SK", "UK")
dat <- get_eurostat(id="tps00199", time_format="num",
                    filters = list(geo = ct))
dat[1:2,]
## indic_de geo    time values
## TOTFERRT AT    2006   1.41
## TOTFERRT AT    2007   1.38
```

### Add labels

The **label\_eurostat(x, lang = "en",...)** gets definitions for Eurostat codes and replace them with labels in given language ("en", "fr" or "de")


```
dat <- label_eurostat(dat)
dat[1:3,]
## indic_de      geo    time values
## <fct>        <fct>  <dbl> <dbl>
## Total fertility rate Andorra 2006  1.24
## Total fertility rate Albania 2006  1.67
## Total fertility rate Armenia 2006  1.34
```




## eurostat and plots

The **get\_eurostat()** function returns tibbles in the long format. Packages dplyr and tidyr are well suited to transform these objects. The **ggplot2**-package is well suited to plot these objects.

```
dat <- get_eurostat(id="tps00199", filters = list(geo = ct))
library(ggplot2)
library(dplyr)
ggplot(dat,
       aes(x = time, y = values, color = geo, label = geo)) +
  geom_line(alpha = .5) +
  geom_text(data = dat %>% group_by(geo) %>%
              filter(time == max(time)),
            size = 2.6) +
  theme(legend.position = "none") +
  labs(title = "Total fertility rate, 2006-2017",
       x = "Year", y = "%")
```



```
dat_2015 <- dat %>%
  filter(time == "2015-01-01")
ggplot(dat_2015, aes(x = reorder(geo, values), y = values)) +
  geom_col(color = "white", fill = "grey80") +
  theme(axis.text.x = element_text(size = 6)) +
  labs(title = "Total fertility rate, 2015",
       y = "%", x = NULL)
```



## eurostat and maps


There are two function to work with geospatial data from GISCO. The **get\_eurostat\_geospatial()** returns spatial data as sf-object. Object can me merged with data.frames using **dplyr::\*\_join()**-functions. The **cut\_to\_classes()** is a wrapper for **cut()** - function and is used for categorizing data for maps with tidy labels.

```
mapdata <- get_eurostat_geospatial(nuts_level = 0) %>%
  right_join(dat_2015) %>%
  mutate(cat = cut_to_classes(values, n=4, decimals=1))
head(select(mapdata, geo, values, cat), 3)
## #> #> geo values      cat      geometry
## #> #> AT    1.49 1.5 ~< 1.6 MULTIPOLYGON (((15.54245 48...
```

### Plot a Map

The **sf-object** returned are ready to be plotted with **ggplot::geom\_sf()**-function.

```
ggplot(mapdata, aes(fill = cat)) +
  scale_fill_brewer(palette = "RdYlBu") +
  geom_sf(color = alpha("white", 1/3), alpha = .6) +
  xlim(c(-12, 44)) + ylim(c(35, 70)) +
  labs(title = "Total fertility rate, 2015",
       subtitle = "Avg. number of life births per woman",
       fill = "%")
```



This onepager presents the eurostat package 2014-2019  
 Leo Lahti, Janne Huovari, Markus Kainu, Przemyslaw Biecek  
 package version 3.3.55 URL: <https://github.com/rOpenGov/eurostat>

Retrieval and Analysis of Eurostat Open Data with the eurostat Package.  
 Leo Lahti, Janne Huovari, Markus Kainu, and Przemysław Biecek.  
 The R Journal, 9(1):385–392, 2017.